

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: pBR322 Vector

Catalog Number: N3033S
Concentration: 1,000 μg/ml

Unit Definition: N/A

Packaging Lot Number: 10132287
Expiration Date: 12/2023
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl (pH 8.0), 1 mM EDTA

Specification Version: PS-N3033S/L v1.0

pBR322 Vector Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
N3033SVIAL	pBR322 Vector	10132286	Pass

Assay Name/Specification	Lot # 10132287
Restriction Digest (Linearization) A 50 μl reaction in NEBuffer 2.1 containing 5 μg of pBR322 Vector DNA and 20 units of HindIII incubated for 1 hour at 37°C produces > 95% linearization resulting in a single band of approximately 4361 bp as determined by agarose gel electrophoresis.	Pass
Electrophoretic Pattern (Plasmid) The banding pattern of pBR322 Vector on a 1.2% agarose gel is evaluated against a control lot for sharpness and relative intensity as determined by gel electrophoresis using Ethidium Bromide.	Pass
DNA Concentration (A260) The concentration of pBR322 Vector is between 1000 and 1050 μg/ml as determined by UV absorption at 260 nm.	Pass
A260/A280 Assay The ratio of UV absorption of pBR322 Vector at 260 and 280 nm is between 1.8 and 2.0.	Pass
Non-Specific DNase Activity (DNA, 16 hour) A 50 μl reaction in 1X NEBuffer 2 containing 5 μg of pBR322 Vector incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass



N3033S / Lot: 10132287

Page 1 of 2



This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Vanessa Mathieu-Sheltry Production Scientist

12 Jan 2022

Michael Tonello

Packaging Quality Control Inspector

12 Jan 2022