

Product Name: M13mp18 RF I DNA

 Catalog #:
 N4018S

 Concentration:
 100 μg/ml

 Unit Definition:
 N/A

 Lot #:
 0421608

 Assay Date:
 08/2016

 Expiration Date:
 8/2018

 Storage Temp:
 -20°C

Storage Conditions: 10 mM Tris-HCl (pH 8.0), 1 mM EDTA

Specification Version: PS-N4018S v1.0 Effective Date: 08 Jul 2014

Assay Name/Specification (minimum release criteria)	Lot #0421608
A260/A280 Assay - The ratio of UV absorption of M13mp18 RF I DNA at 260 and 280 nm is between 1.8 and 2.0.	Pass
DNA Concentration (A260) - The concentration of M13mp18 RF I DNA is between 100 and 110 μ g/ml as determined by UV absorption at 260 nm.	Pass
Electrophoretic Pattern (Plasmid) - The banding pattern of M13mp18 RF I DNA on a 1.2% agarose gel is evaluated against a control lot for sharpness and relative intensity as determined by gel electrophoresis using Ethidium Bromide.	Pass
Non-Specific DNase Activity (DNA, 16 hour) - A 50 μl reaction in 1X NEBuffer 2 containing 2.5 μg of M13mp18 RF I DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Restriction Digest (Linearization) - A 50 μl reaction in CutSmart TM Buffer containing 5 μg of M13mp18 RF I DNA and 20 units of XbaI incubated for 1 hour at 37°C produces > 95% linearization resulting in a single band of approximately 7249 bp as determined by agarose gel electrophoresis.	Pass

Authorized by Derek Robinson 08 Jul 2014







Inspected by Vanessa Mathieu-Sheltry

19 Aug 2016