

New England Biolabs Certificate of Analysis

Product Name: *TaqI*
Catalog #: *R0149T/M*
Concentration: *100,000 units/ml*
Unit Definition: *One unit is defined as the amount of enzyme required to digest 1 α g of Lambda DNA in 1 hour at 65°C in a total reaction volume of 50 α l.*
Lot #: *0541410*
Assay Date: *10/2014*
Expiration Date: *10/2016*
Storage Temp: *-20 °C*
Storage Conditions: *300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 500 μ g/ml BSA*
Specification Version: *PS-R0149T/M v1.0*
Effective Date: *28 Jun 2013*

Assay Name/Specification (minimum release criteria)	Lot #0541410
Exonuclease Activity (Radioactivity Release) - A 50 μ l reaction in CutSmart™ Buffer containing 1 μ g of a mixture of single and double-stranded [³ H] <i>E. coli</i> DNA and a minimum of 200 units of <i>TaqI</i> incubated for 4 hours at 65°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) - After a 20-fold over-digestion of Lambda DNA DNA with <i>TaqI</i> , >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 25°C. Of these ligated fragments, >95% can be recut with <i>TaqI</i> .	Pass
Non-Specific DNase Activity (16 Hour) - A 50 μ l reaction in CutSmart™ Buffer containing 1 μ g of Lambda DNA DNA and a minimum of 200 Units of <i>TaqI</i> incubated for 16 hours at 65°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

* The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.



Authorized by
Derek Robinson
28 Jun 2013



Inspected by
David Hough
29 Oct 2014

