

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	Random Primer Mix
Catalog Number:	S1330S
Concentration:	60 µM
Lot Number:	10054265
Expiration Date:	05/2022
Storage Temperature:	-20°C
Specification Version:	PS-S1330S v1.0
Composition (1X):	1 mM dATP, 1 mM dCTP, 1 mM dGTP, 1 mM dTTP, 35 μM Hexamers, 25 μM dT(23)VN supplied in ultrapure water.

Random Primer Mix Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
S1330SVIAL	Random Primer Mix	10040033	Pass	

Assay Name/Specification	Lot # 10054265
Endonuclease Activity (Nicking) A 25 μ I reaction in NEBuffer 2 containing 1 μ g of supercoiled PhiX174 DNA and a minimum of 5 μ I of Random Primer Mix incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 2 containing 1 µg of T3 DNA in addition to a reaction containing Lambda-HindIII DNA and a minimum of 5 µl of Random Primer Mix incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Phosphatase Activity (pNPP) A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl2 containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 20 µl of Random Primer Mix incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Random Primer Mix is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass





be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

This product has been tested and shown to be in compliance with all specifications.

David Guo

Production Scientist 07 May 2019

Mich 11.

Michael Tonello Packaging Quality Control Inspector 26 Sep 2019

