

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: SNAP-Surface® 549

Catalog Number: S9112S
Lot Number: 10046987
Expiration Date: 06/2024
Storage Temperature: -20°C

Specification Version: PS-S9112S v3.0

SNAP-Surface® 549 Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
S9112SVIAL	SNAP-Surface® 549	10046988	Pass	

Assay Name/Specification	Lot # 10046987
Physical Purity (HPLC) SNAP-Surface® 549 is ≥ 90% pure as determined by HPLC analysis.	Pass
In Vitro Protein Labeling A 50 $\mu$ I reaction in 1X PBS and 1 mM DTT containing 5 $\mu$ M of SNAP-tag® Purified Protein and a minimum of 10 $\mu$ M of SNAP-Surface® 549 is incubated for 1 hour at 37°C results in the expected labeled product that is visualized on SDS-PAGE by fluorescent detection.	Pass
Identity (Mass Spectrometry) The observed molecular mass of SNAP-Surface® 549 is 1128.3 Da +/- 1 Da as determined by mass spectrometry analysis.	Pass

This product has been tested and shown to be in compliance with all specifications.



S9112S / Lot: 10046987

Page 1 of 2

Chistopher R. Vravost

Chris Provost Production Scientist 19 Jun 2019 Michael Tonello

Packaging Quality Control Inspector

15 Jul 2019